

Literatur

- [Agr93a] G. P. Agrawal and C. M. Bowden: *Concept of linewidth enhancement factor in semiconductor lasers: its usefulness and limitations*. Photonics Technology Letters, IEEE **5**, 640 (1993).
- [Ale07] R. R. Alexander, D. Childs, H. Agarwal, K. M. Groom, H. Y. Liu, M. Hopkinson, and R. A. Hogg: *Zero and Controllable Linewidth Enhancement Factor in p-Doped 1.3 μ m Quantum Dot Lasers*. Japanese Journal of Applied Physics **46**, 2421 (2007).
- [Als96] P. M. Alsing, V. Kovanis, A. Gavrielides, and T. Erneux: *Lang and Kobayashi phase equation*. Phys. Rev. A **53**, 4429 (1996).
- [Ash98] P. Ashwin, J. R. Terry, K. S. Thornburg, and R. Roy: *Blowout bifurcation in a system of coupled chaotic lasers*. Phys. Rev. E **58**, 7186 (1998).
- [Bau04] S. Bauer, O. Brox, J. Kreissl, B. Sartorius, M. Radziunas, J. Sieber, H. J. Wünsche, and F. Henneberger: *Nonlinear dynamics of semiconductor lasers with active optical feedback*. Phys. Rev. E **69**, 016206 (2004).
- [Ber01a] T. W. Berg, S. Bischoff, I. Magnusdottir, and J. Mørk: *Ultrafast Gain Recovery and Modulation Limitations in Self-Assembled Quantum-Dot Devices*. IEEE Photon. Technol. Lett. **13**, 541 (2001).
- [Car06a] O. Carroll, I. O’Driscoll, S. P. Hegarty, G. Huyet, J. Houlihan, E. A. Viktorov, and P. Mandel: *Feedback induced instabilities in a quantum dot semiconductor laser*. Opt. Express **14**, 10831 (2006).
- [Dah08b] T. Dahms, P. Hövel, and E. Schöll: *Stabilizing continuous-wave output in semiconductor lasers by time-delayed feedback*. submitted (2008). Submitted (arXiv:0809.0796v1).
- [Dhu08] O. D’Huys, R. Vicente, T. Erneux, J. Danckaert, and I. Fischer: *Synchronization properties of network motifs: Influence of coupling delay and symmetry*. Chaos (Special Issue on Complex networks) (2008). Accepted.
- [Dom07] S. Dommers, V. V. Temnov, U. Woggon, J. Gomis, J. Martinez-Pastor, M. Lämmlin, and D. Bimberg: *Complete ground state gain recovery after ultrashort double pulses in quantum dot based semiconductor optical amplifier*. Appl. Phys. Lett. **90**, 033508 (2007).
- [Ern07] T. Erneux and T. Kalmár-Nagy: *Nonlinear Stability of a Delayed Feedback Controlled Container Crane*. Journal of Vibration and Control **13**, 603 (2007).

- [Fie08] B. Fiedler, S. Yanchuk, V. Flunkert, P. Hövel, H. J. Wünsche, and E. Schöll: *Delay stabilization of rotating waves near fold bifurcation and application to all-optical control of a semiconductor laser*. Phys. Rev. E **77**, 066207 (2008).
- [Fis06] I. Fischer, R. Vicente, J. M. Buldú, M. Peil, C. R. Mirasso, M. C. Torrent, and J. García-Ojalvo: *Zero-Lag Long-Range Synchronization via Dynamical Relaying*. Phys. Rev. Lett. **97**, 123902 (2006).
- [Flu07] V. Flunkert and E. Schöll: *Suppressing noise-induced intensity pulsations in semiconductor lasers by means of time-delayed feedback*. Phys. Rev. E **76**, 066202 (2007).
- [Gau96] D. J. Gauthier and J. C. Bienfang: *Intermittent Loss of Synchronization in Coupled Chaotic Oscillators: Toward a New Criterion for High-Quality Synchronization*. Phys. Rev. Lett. **77**, 1751 (1996).
- [Gom08] J. Gomis-Bresco, S. Dommers, V. V. Temnov, U. Woggon, M. Lämmlin, D. Bimberg, E. Malić, M. Richter, E. Schöll, and A. Knorr: *Engineering of Coulomb scattering and its impact on ultrafast gain recovery in InGaAs quantum dots*. Phys. Rev. Lett. (2008). Submitted.
- [Geh05] E. Gehrig and O. Hess: *Dynamic amplitude-phase coupling in quantum-dot lasers*. Appl. Phys. Lett. **86**, 203116 (2005).
- [Gio07] M. Gioannini and I. Montrosset: *Numerical Analysis of the Frequency Chirp in Quantum-Dot Semiconductor Lasers*. IEEE J. Quantum Electron. **43**, 941 (2007).
- [Hae02] B. Haegeman, K. Engelborghs, D. Roose, and . et al.: *Stability and rupture of bifurcation bridges in semiconductor lasers subject to optical feedback*. Physical Review E **66**, 046216 (2002).
- [Har83] C. Harder, K. Vahala, and A. Yariv: *Measurement of the linewidth enhancement factor α of semiconductor lasers*. Appl. Phys. Lett. **42**, 328 (1983).
- [Hau00] H. Haus: *Mode-locking of lasers*. IEEE J. Sel. Top. Quantum Electron. **6**, 1173 (2000).
- [Hec07] M. J. R. Heck, E. A. J. M. Bente, B. Smalbrugge, Y.-S. Oei, M. K. Smit, S. Anantathanasarn, and R. Nötzel: *Observation of Q-switching and mode-locking in two-section InAs/InP (100) quantum dot lasers around 1.55 μm* . Opt. Express **15**, 16292 (2007).
- [Hei01] R. Heitz, H. Born, F. Guffarth, O. Stier, A. Schliwa, A. Hoffmann, and D. Bimberg: *Existence of a phonon bottleneck for excitons in quantum dots*. Phys. Rev. B **64**, 241305(R) (2001).

- [Hoh99] A. Hohl and A. Gavrielides: *Bifurcation cascade in a semiconductor laser subject to optical feedback*. Physical Review Letters **82**, 1148 (1999).
- [Huy04] G. Huyet, D. O'Brien, S. P. Hegarty, J. G. McInerney, A. V. Uskov, D. Bimberg, C. Ribbat, V. M. Ustinov, A. E. Zhukov, S. S. Mikhlin, A. R. Kosvh, J. K. White, K. Hinzer, and A. J. SpringThorpe: *Quantum dot semiconductor lasers with optical feedback*. phys. stat. sol. (b) **201**, 345 (2004).
- [Kno92] A. Knorr, R. Binder, M. Lindberg, and S. W. Koch: *Theoretical study of resonant ultrashort-pulse propagation in semiconductors*. Phys. Rev. A **46**, 7179 (1992).
- [Kno93] A. Knorr, R. Binder, E. M. Wright, and S. W. Koch: *Amplification, absorption, and lossless propagation of femtosecond pulses in semiconductor amplifiers*. Opt. Lett. **18**, 1538 (1993).
- [Lae06] M. Lämmlin: *GaAs-based semiconductor optical amplifiers with quantum dots as an active medium*. Ph.d. thesis, Technische Universität Berlin (2006).
- [Lan80b] R. Lang and K. Kobayashi: *External optical feedback effects on semiconductor injection laser properties*. IEEE J. Quantum Electron. **16**, 347 (1980).
- [Lan07] A. S. Landsman and I. B. Schwartz: *Complete chaotic synchronization in mutually coupled time-delay systems*. Phys. Rev. E **75**, 026201 (2007).
- [Lan07a] A. S. Landsman, L. B. Shaw, and I. B. Schwartz: *Zero Lag Synchronization of Mutually Coupled Lasers in the Presence of Delays* (2007). ArXiv:0711.0761v1.
- [Lue08] K. Lüdge, M. J. P. Bormann, E. Malić, P. Hövel, M. Kuntz, D. Bimberg, A. Knorr, and E. Schöll: *Turn-on dynamics and modulation response in semiconductor quantum dot lasers*. Phys. Rev. B **78**, 035316 (2008).
- [Mal08] E. Malić: *Many-particle theory of optical properties in low-dimensional nanostructures*. Ph.D. thesis (2008).
- [Mel06] S. Melnik, G. Huyet, and A. V. Uskov: *The linewidth enhancement factor α of quantum dot semiconductor lasers*. Optics Express **14**, 2950 (2006).
- [Mul02] J. Mulet, C. Masoller, and C. R. Mirasso: *Modeling bidirectionally coupled single-mode semiconductor lasers*. Phys. Rev. A **65**, 63815 (2002).
- [Mul04] J. Mulet, C. R. Mirasso, T. Heil, and I. Fischer: *Synchronization scenario of two distant mutually coupled semiconductor lasers*. J. Opt. B: Quantum and Semiclass. Opt. **6**, 97 (2004).

- [Obr04] D. O'Brien, S. P. Hegarty, G. Huyet, and A. V. Uskov: *Sensitivity of quantum-dot semiconductor lasers to optical feedback*. Opt. Lett. **29**, 1072 (2004).
- [Oks03] J. Oksanen and J. Tulkki: *Linewidth enhancement factor and chirp in quantum dot lasers*. J. Appl. Phys. **94**, 1983 (2003).
- [Pec98] L. M. Pecora and T. L. Carroll: *Master Stability Functions for Synchronized Coupled Systems*. Phys. Rev. Lett. **80**, 2109 (1998).
- [Piw07] T. Piwonski, I. O'Driscoll, J. Houlihan, G. Huyet, R. J. Manning, and A. V. Uskov: *Carrier capture dynamics of InAs/GaAs quantum dots*. Appl. Phys. Lett. **90**, 122108 (2007).
- [Rad00] M. Radziunas, H. J. Wünsche, B. Sartorius, O. Brox, D. Hoffmann, K. R. Schneider, and D. Marcenac: *Modeling self-pulsating DFB lasers with an integrated phase tuning section*. IEEE J. Quantum Electron. **36**, 1026 (2000).
- [Rad07] M. Radziunas, A. Glitzky, U. Bandelow, M. Wolfrum, U. Troppenz, J. Kreissl, and W. Rehbein: *Improving the Modulation Bandwidth in Semiconductor Lasers by Passive Feedback*. IEEE J. Sel. Top. Quantum Electron. **13**, 136 (2007).
- [Raf04] E. U. Rafailov, S. J. White, A. A. Lagatsky, A. Miller, W. Sibbett, D. A. Livshits, A. E. Zhukov, and V. M. Ustinov: *Fast quantum-dot saturable absorber for passive mode-locking of solid-state lasers*. IEEE Photon. Technol. Lett. **16**, 2439 (2004).
- [Rot05] V. Rottschäfer and B. Krauskopf: *The ECM-backbone of the Lang-Kobayashi equations: a geometric picture*. Applied Nonlinear Mathematics Research Report, University of Bristol (2005). Preprint.
- [Sar97] B. Sartorius, M. Möhrle, S. Reichenbacher, H. Preier, H. J. Wünsche, and U. Bandelow: *Dispersive self-Q-switching in self-pulsating DFB lasers*. IEEE J. Quantum Electron. **33**, 211 (1997).
- [Sau98] M. Sauer and F. Kaiser: *On-off intermittency and bubbling in the synchronization break-down of coupled lasers*. Physics Letters A **243**, 38 (1998).
- [Sch88j] E. Schöll: *Dynamic Theory of Picosecond Optical Pulse Shaping by Gain-Switched Semiconductor Laser Amplifiers*. IEEE J. Quantum Electron. **24**, 435 (1988).
- [Sch90b] M. Schell and E. Schöll: *Time-Dependent Simulation of a Semiconductor Laser Amplifier: Pulse Compression in a Ring Configuration and Dynamic Optical Bistability*. IEEE J. Quantum Electron. **26**, 1005 (1990).

- [Sch91b] M. Schell, A. Weber, E. H. Böttcher, E. Schöll, and D. Bimberg: *Theory of Subpicosecond Pulse Generation by Active Modelocking of a Semiconductor Laser Amplifier in an External Cavity: Limits for the Pulsewidth*. IEEE J. Quantum Electron. **27**, 402 (1991).
- [Sch91c] M. Schell, A. Weber, E. Schöll, and D. Bimberg: *Fundamental Limits of Sub-ps Pulse Generation by Active Mode Locking of Semiconductor Lasers: The Spectral Gain Width and the Facet Reflectivities*. IEEE J. Quantum Electron. **27**, 1661 (1991).
- [Sch02j] H. C. Schneider, W. W. Chow, and S. W. Koch: *Anomalous carrier-induced dispersion in quantum-dot active media*. Phys. Rev. B **66**, 041310 (2002).
- [Sch04d] S. Schneider, P. Borri, W. Langbein, U. Woggon, R. L. Sellin, D. Ouyang, and D. Bimberg: *Linewidth enhancement factor in InGaAs quantum-dot amplifiers*. IEEE J. Quantum Electron. **40**, 1423 (2004).
- [Sch06a] S. Schikora, P. Hövel, H. J. Wünsche, E. Schöll, and F. Henneberger: *All-optical noninvasive control of unstable steady states in a semiconductor laser*. Phys. Rev. Lett. **97**, 213902 (2006).
- [Sch07d] I. B. Schwartz and L. B. Shaw: *Isochronal synchronization of delay-coupled systems*. Phys. Rev. E **75**, 046207 (2007).
- [Sha06] L. B. Shaw, I. B. Schwartz, E. A. Rogers, and R. Roy: *Synchronization and time shifts of dynamical patterns for mutually delay-coupled fiber ring lasers*. Chaos **16**, 015111 (2006).
- [Sie98] J. Sieber, U. Bandelow, H. Wenzel, M. Wolfrum, and H. J. Wünsche: *Travelling Wave Equations for Semiconductor Lasers with Gain Dispersion* (1998).
- [Tar95a] G. H. M. van Tartwijk and D. Lenstra: *Semiconductor laser with optical injection and feedback*. Quantum Semiclass. Optics p. 84 (1995).
- [Ter99] J. R. Terry, K. S. Thornburg, D. J. DeShazer, G. D. VanWiggeren, S. Zhu, P. Ashwin, and R. Roy: *Synchronization of chaos in an array of three lasers*. Phys. Rev. E **59**, 4036 (1999).
- [Tro00] V. Z. Tronciu, H. J. Wünsche, J. Siebert, K. Schneider, and F. Henneberger: *Dynamics of single mode semiconductor lasers with passive dispersive reflectors*. Opt. Commun. **182**, 221 (2000).
- [Tro06] V. Z. Tronciu, H. J. Wünsche, M. Wolfrum, and M. Radziunas: *Semiconductor Laser under Resonant Feedback from a Fabry-Perot: Stability of Continuous-Wave Operation*. Phys. Rev. E **73**, 046205 (2006).

- [Ush04] O. Ushakov, S. Bauer, O. Brox, H. J. Wünsche, and F. Henneberger: *Self-Organization in Semiconductor Lasers with Ultrashort Optical Feedback*. Phys. Rev. Lett. **92**, 043902 (2004).
- [Usk04] A. V. Uskov, E. P. O'Reilly, D. McPeake, D. Bimberg, G. Huyet, and N. N. Ledentsov: *Carrier-induced refractive index in quantum dot structures due to transitions from discrete quantum dot levels to continuum states*. Appl. Phys. Lett. **84**, 272 (2004).
- [Vah83] K. Vahala, S. N. Chiu, S. Margalit, and A. Yariv: *On the linewidth enhancement factor α in semiconductor injection lasers*. Appl. Phys. Lett. **42**, 631 (1983).
- [Ven96a] S. C. Venkataramani, B. R. Hunt, E. Ott, D. J. Gauthier, and J. C. Bienfang: *Transitions to Bubbling of Chaotic Systems*. Phys. Rev. Lett. **77**, 5361 (1996).
- [Vik06] A. E. Viktorov, P. Mandel, A. G. Vladimirov, and U. Bandelow: *Model for mode locking of quantum dot lasers*. Appl. Phys. Lett. **88**, 201102 (2006).
- [Vik07] E. A. Viktorov, P. Mandel, and G. Huyet: *Long-cavity quantum dot laser*. Opt. Lett. **32**, 1268 (2007).
- [Vla05] A. G. Vladimirov and D. Turaev: *Model for passive mode locking in semiconductor lasers*. Phys. Rev. A **72**, 033808 (2005).
- [Wan07] J. Wang, A. Maitra, C. G. Poulton, W. Freude, and J. Leuthold: *Temporal dynamics of the α factor in semiconductor optical amplifiers*. J. Lightwave Techn. **25**, 891 (2007).
- [Whi02] J. K. White, M. Matus, and J. V. Moloney: *Achronal generalized synchronization in mutually coupled semiconductor lasers*. Phys. Rev. E **65**, 036229 (2002).
- [Wue05a] H. J. Wünsche, S. Bauer, J. Kreissl, O. Ushakov, N. Korneyev, F. Henneberger, E. Wille, H. Erzgräber, M. Peil, W. Elsässer, and I. Fischer: *Synchronization of Delay-Coupled Oscillators: A Study of Semiconductor Lasers*. Phys. Rev. Lett. **94**, 163901 (2005).
- [Xin05] C. Xing and E. A. Avrutin: *Multimode spectra and active mode locking potential of quantum dot lasers*. J. Appl. Phys. **97**, 104301 (2005).