

Semiconductor lasers: relaxation oscillations, pulse compression, mode-locking, transverse instabilities, etc.

- [1] D. Ziemann, R. Aust, B. Lingnau, E. Schöll, and K. Lüdge: *Optical injection enables coherence resonance in quantum-dot lasers*, Europhys. Lett. (2013), in print.
- [2] K. Lüdge, B. Lingnau, C. Otto, and E. Schöll: *Understanding electrical and optical modulation properties of semiconductor quantum-dot lasers in terms of their turn-on dynamics*, Nonlinear Phenom. Complex Syst. **15**, 350 (2012).
- [3] S. Wilkinson, B. Lingnau, J. Korn, E. Schöll, and K. Lüdge: *Influence of noise on the signal properties of quantum-dot semiconductor optical amplifiers*, IEEE J. Sel. Top. Quantum Electron. **19**, 1900106 (2013).
- [4] V. Flunkert and E. Schöll: *Chaos and synchronization in delayed systems: applications to laser networks*, ESAIM Proc. **39**, 40 (2013).
- [5] C. Otto, K. Lüdge, A. G. Vladimirov, M. Wolfrum, and E. Schöll: *Delay induced dynamics and jitter reduction of passively mode-locked semiconductor laser subject to optical feedback*, New J. Phys. **14**, 113033 (2012).
- [6] B. Lingnau, K. Lüdge, W. W. Chow, and E. Schöll: *Failure of the α -factor in describing dynamical instabilities and chaos in quantum-dot lasers*, Phys. Rev. E **86**, 065201(R) (2012).
- [7] B. Lingnau, K. Lüdge, W. W. Chow, and E. Schöll: *Many-body effects and self-contained phase dynamics in an optically injected quantum-dot laser*, in *Semiconductor Lasers and Laser Dynamics V, Brussels*, edited by K. Panajotov, M. Sciamanna, A. A. Valle, and R. Michalzik (SPIE, 2012), vol. 8432 of *Proceedings of SPIE*, pp. 84321J–1.
- [8] B. Lingnau, K. Lüdge, W. W. Chow, and E. Schöll: *Influencing modulation properties of quantum-dot semiconductor lasers by electron lifetime engineering*, Appl. Phys. Lett. **101**, 131107 (2012).
- [9] B. Globisch, C. Otto, E. Schöll, and K. Lüdge: *Influence of carrier lifetimes on the dynamical behavior of quantum-dot lasers subject to optical feedback*, Phys. Rev. E **86**, 046201 (2012).
- [10] V. Flunkert, S. Yanchuk, T. Dahms, and E. Schöll: *Synchronizability of networks with strongly delayed links: a universal classification*, Contemporary Mathematics. Fundamental Directions **48** (2013), to be published in June 2013, English version: J. of Math. Sciences (Springer), end of 2013/ 2014.
- [11] C. Otto, B. Globisch, K. Lüdge, E. Schöll, and T. Erneux: *Complex dynamics of semiconductor quantum dot lasers subject to delayed optical feedback*, Int. J. Bif. Chaos **22**, 1250246 (2012).
- [12] K. Lüdge and E. Schöll: *Temperature dependent two-state lasing in quantum dot lasers*, in *Laser Dynamics and Nonlinear Photonics, Fifth Rio De La Plata Workshop 6-9 Dec. 2011* (IEEE Publishing Services, New York, 2012), IEEE Conf. Proc., pp. 1–6.

- [13] J. Pausch, C. Otto, E. Tylaite, N. Majer, E. Schöll, and K. Lüdge: *Optically injected quantum dot lasers - impact of nonlinear carrier lifetimes on frequency locking dynamics*, New J. Phys. **14**, 053018 (2012).
- [14] V. Flunkert and E. Schöll: *Chaos synchronization in networks of delay-coupled lasers: Role of the coupling phases*, New J. Phys. **14**, 033039 (2012).
- [15] N. Majer, K. Lüdge, and E. Schöll: *Maxwell-bloch approach to four-wave mixing in quantum dot semiconductor optical amplifiers*, in 11th Internat. Conf. on Numerical Simulation of Optical Devices (NUSOD), Rome 2011, edited by J. Piprek, IEEE Proc. pp. 153–154 (2011).
- [16] N. Majer, S. Dommers-Völkel, J. Gomis-Bresco, U. Woggon, K. Lüdge, and E. Schöll: *Impact of carrier-carrier scattering and carrier heating on pulse train dynamics of quantum dot semiconductor optical amplifiers*, Appl. Phys. Lett. **99**, 131102 (2011).
- [17] C. Otto, K. Lüdge, E. A. Viktorov, and T. Erneux: *Quantum dot laser tolerance to optical feedback*, in *Nonlinear Laser Dynamics - From Quantum Dots to Cryptography*, edited by K. Lüdge (WILEY-VCH, Weinheim, 2012), chap. 6, pp. 141–162.
- [18] K. Lüdge: *Modeling quantum dot based laser devices*, in *Nonlinear Laser Dynamics - From Quantum Dots to Cryptography* [19], chap. 1, pp. 3–34.
- [19] K. Lüdge: *Nonlinear Laser Dynamics - From Quantum Dots to Cryptography* (Wiley-VCH, Weinheim, 2012).
- [20] V. Flunkert and E. Schöll: *Towards easier realization of time-delayed feedback control of odd-number orbits*, Phys. Rev. E **84**, 016214 (2011).
- [21] K. Hicke, O. D’Huys, V. Flunkert, E. Schöll, J. Danckaert, and I. Fischer: *Mismatch and synchronization: Influence of asymmetries in systems of two delay-coupled lasers*, Phys. Rev. E **83**, 056211 (2011).
- [22] T. Dahms, V. Flunkert, F. Henneberger, P. Hövel, S. Schikora, E. Schöll, and H. J. Wünsche: *Noninvasive optical control of complex semiconductor laser dynamics*, Eur. Phys. J. ST **191**, 71 (2010).
- [23] V. Flunkert, S. Yanchuk, T. Dahms, and E. Schöll: *Synchronizing distant nodes: a universal classification of networks*, Phys. Rev. Lett. **105**, 254101 (2010).
- [24] N. Majer, K. Lüdge, and E. Schöll: *Cascading enables ultrafast gain recovery dynamics of quantum dot semiconductor optical amplifiers*, Phys. Rev. B **82**, 235301 (2010).
- [25] K. Lüdge, E. Schöll, E. A. Viktorov, and T. Erneux: *Analytic approach to modulation properties of quantum dot lasers*, J. Appl. Phys. **109**, 103112 (2011).
- [26] Y. Su, A. Carmele, M. Richter, K. Lüdge, E. Schöll, D. Bimberg, and A. Knorr: *Theory of single quantum dot lasers: Pauli-blocking enhanced anti-bunching*, Semicond. Sci. Technol. **26**, 014015 (2011).
- [27] M. Wegert, N. Majer, K. Lüdge, S. Dommers-Völkel, J. Gomis-Bresco, A. Knorr, U. Woggon, and E. Schöll: *Nonlinear gain dynamics of quantum dot optical amplifiers*, Semicond. Sci. Technol. **26**, 014008 (2011).

- [28] K. Lüdge, R. Aust, G. Fiol, M. Stubenrauch, D. Arsenijević, D. Bimberg, and E. Schöll: *Large signal response of semiconductor quantum-dot lasers*, IEEE J. Quantum Electron. **46**, 1755 (2010).
- [29] B. Lingnau, K. Lüdge, E. Schöll, and W. W. Chow: *Many-body and nonequilibrium effects on relaxation oscillations in a quantum-dot microcavity laser*, Appl. Phys. Lett. **97**, 111102 (2010).
- [30] K. Lüdge and E. Schöll: *Nonlinear dynamics of doped semiconductor quantum dot lasers*, Eur. Phys. J. D **58**, 167 (2010).
- [31] C. Otto, K. Lüdge, and E. Schöll: *Modeling quantum dot lasers with optical feedback: sensitivity of bifurcation scenarios*, phys. stat. sol. (b) **247**, 829 (2010).
- [32] P. Hövel, M. A. Dahlem, T. Dahms, G. Hiller, and E. Schöll: *Time-delayed feedback control of delay-coupled neurosystems and lasers*, in *Preprints of the Second IFAC meeting related to analysis and control of chaotic systems (CHAOS09)* (World Scientific, 2009), (arXiv:0912.3395).
- [33] K. Lüdge and E. Schöll: *Quantum-dot lasers – desynchronized nonlinear dynamics of electrons and holes*, IEEE J. Quantum Electron. **45**, 1396 (2009).
- [34] V. Flunkert, O. D’Huys, J. Danckaert, I. Fischer, and E. Schöll: *Bubbling in delay-coupled lasers*, Phys. Rev. E **79**, 065201 (R) (2009).
- [35] E. Schöll, P. Hövel, V. Flunkert, and M. A. Dahlem: *Time-delayed feedback control: from simple models to lasers and neural systems*, in *Complex time-delay systems: theory and applications*, edited by F. M. Atay (Springer, Berlin, 2010), pp. 85–150.
- [36] J. Gomis-Bresco, S. Dommers, V. V. Temnov, U. Woggon, M. Lämmlin, D. Bimberg, E. Malić, M. Richter, E. Schöll, and A. Knorr: *Impact of Coulomb scattering on the ultrafast gain recovery in InGaAs quantum dots*, Phys. Rev. Lett. **101**, 256803 (2008).
- [37] T. Dahms, P. Hövel, and E. Schöll: *Stabilizing continuous-wave output in semiconductor lasers by time-delayed feedback*, Phys. Rev. E **78**, 056213 (2008).
- [38] B. Fiedler, S. Yanchuk, V. Flunkert, P. Hövel, H. J. Wünsche, and E. Schöll: *Delay stabilization of rotating waves near fold bifurcation and application to all-optical control of a semiconductor laser*, Phys. Rev. E **77**, 066207 (2008).
- [39] K. Lüdge, M. J. P. Bormann, E. Malić, P. Hövel, M. Kuntz, D. Bimberg, A. Knorr, and E. Schöll: *Turn-on dynamics and modulation response in semiconductor quantum dot lasers*, Phys. Rev. B **78**, 035316 (2008).
- [40] E. Malić, M. J. P. Bormann, P. Hövel, M. Kuntz, D. Bimberg, A. Knorr, and E. Schöll: *Coulomb damped relaxation oscillations in semiconductor quantum dot lasers*, IEEE J. Sel. Top. Quantum Electron. **13**, 1242 (2007).
- [41] V. Flunkert and E. Schöll: *Suppressing noise-induced intensity pulsations in semiconductor lasers by means of time-delayed feedback*, Phys. Rev. E **76**, 066202 (2007).
- [42] S. Schikora, P. Hövel, H. J. Wünsche, E. Schöll, and F. Henneberger: *All-optical noninvasive control of unstable steady states in a semiconductor laser*, Phys. Rev. Lett. **97**, 213902 (2006).

- [43] E. Malić, K. J. Ahn, M. J. P. Bormann, P. Hövel, E. Schöll, A. Knorr, M. Kuntz, and D. Bimberg: *Theory of relaxation oscillations in semiconductor quantum dot lasers*, Appl. Phys. Lett. **89**, 101107 (2006).
- [44] D. Merbach, O. Hess, H. Herzel, and E. Schöll: *Injection-induced bifurcations of transverse spatiotemporal patterns in semiconductor laser arrays*, Phys. Rev. E **52**, 1571 (1995).
- [45] O. Hess, D. Merbach, H. P. Herzel, and E. Schöll: *Bifurcations of a 3-torus in a twin-stripe semiconductor laser model*, Phys. Lett. A **194**, 289 (1994).
- [46] O. Hess and E. Schöll: *Eigenmodes of the dynamically coupled twin-stripe semiconductor laser*, Phys. Rev. A **50**, 787 (1994).
- [47] O. Hess and E. Schöll: *Spatio-temporal dynamics in twin-stripe semiconductor lasers*, Physica D **70**, 165 (1994).
- [48] M. Schell, A. Weber, E. Schöll, and D. Bimberg: *Fundamental limits of sub-ps pulse generation by active mode locking of semiconductor lasers: The spectral gain width and the facet reflectivities*, IEEE J. Quantum Electron. **27**, 1661 (1991).
- [49] M. Schell, A. Weber, E. H. Böttcher, E. Schöll, and D. Bimberg: *Theory of subpicosecond pulse generation by active modelocking of a semiconductor laser amplifier in an external cavity: Limits for the pulsewidth*, IEEE J. Quantum Electron. **27**, 402 (1991).
- [50] M. Schell and E. Schöll: *Time-dependent simulation of a semiconductor laser amplifier: Pulse compression in a ring configuration and dynamic optical bistability*, IEEE J. Quantum Electron. **26**, 1005 (1990).
- [51] E. Schöll, K. Ketterer, E. H. Böttcher, and D. Bimberg: *Gain-switched semiconductor laser amplifier as an ultrafast dynamical optical gate*, Appl. Phys. B **46**, 69 (1988).
- [52] E. Schöll and M. Schell: *Theory of ultrashort pulse generation and amplification by gain-switched semiconductor lasers*, phys. stat. sol. (b) **150**, 575 (1988).
- [53] E. Schöll: *Dynamic theory of picosecond optical pulse shaping by gain-switched semiconductor laser amplifiers*, IEEE J. Quantum Electron. **24**, 435 (1988).
- [54] D. Bimberg, K. Ketterer, E. H. Böttcher, and E. Schöll: *Gain modulation of unbiased semiconductor lasers: ultrashort pulse generation*, Int. J. Electronics **60**, 23 (1986).
- [55] E. Schöll, D. Bimberg, H. Schumacher, and P. T. Landsberg: *Kinetics of picosecond pulse generation in semiconductor lasers with bimolecular recombination at high current injection*, IEEE J. Quantum Electron. **20**, 394 (1984).